

Bandage for Rhinoplasty

Surgical Instruments

Reconstructive Biomaterials

PVA Anatomical Swabs

Prostheses for Otosurgery

Disposable Suction Tubes

Middle Ear Implants

**AUDIOPROSTHESIS**

**SPL** Stapedioplasty  
Stapedectomy and  
Stapedotomy prostheses

**TPL** Tympanoplasty

**TAP** Total Audio Prostheses

**PAP** Partial Audio Prostheses



**audio**<sup>®</sup>  
TECHNOLOGIES

**Audio Technologies S.r.l**

Gossolengo - Piacenza (ITALY) - Tel. +39.0523.778864 - Fax. +39.0523.770019  
info@audiotecnologies.it - www.audiotecnologies.it

**PLATINUM Prosthesis for Stapedectomy**

CODE SPL 03.00


CODE	L (mm)
SPL 03.00.300	3.00
SPL 03.00.350	3.50
SPL 03.00.400	4.00
SPL 03.00.425	4.25
SPL 03.00.450	4.50
SPL 03.00.475	4.75
SPL 03.00.500	5.00
SPL 03.00.550	5.50
SPL 03.00.600	6.00

**PLATINUM Prosthesis for Stapedectomy**

CODE SPL 03.13

Platinum sphere Ø: 0.40


CODE	L (mm)
SPL 03.13.400	4.00
SPL 03.13.450	4.50
SPL 03.13.500	5.00

**PLATINUM Prosthesis for Stapedectomy**

CODE SPL 03.15

Platinum loop Ø: 0.40

CODE	L (mm)
SPL 03.15.400	4.00
SPL 03.15.450	4.50
SPL 03.15.500	5.00

**PLATINUM Prosthesis for Stapedotomy**

CODE SPL 03.05

Piston ø: 0.30

CODE	L (mm)
SPL 03.05	6.00

**PLATINUM and AUDIO-PE Prosthesis for Stapedectomy**

CODE SPL 03.04

Piston ø: 0.60

CODE	L (mm)
SPL 03.04.350	4.00
SPL 03.04.400	4.50
SPL 03.04.425	4.25
SPL 03.04.450	4.50
SPL 03.04.475	4.75
SPL 03.04.500	5.00
SPL 03.04.550	5.50
SPL 03.04.600	6.00

**PT/PTFE/HA Adjustable Cup Prosthesis for Stapedectomy**

CODE SPL 03.14

HA: cup  
 PT: joint  
 PTFE: columella  
 trimmable columella ø: 0.6

CODE	L (mm)
SPL 03.14.400	4.00
SPL 03.14.450	4.50
SPL 03.14.500	5.00



Pt - platinum

Ti - Titanium (ASTM F67)

AUDIO-PE - High molecular weight porous polyethylene

PTFE - Polytetrafluorethylene

AUDIO-HA - Bioactive calcium hydroxylapatite ceramic

AUDIO-HAP - Porous hydroxylapatite ceramic

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.16  
SPL 03.16x

Dimensions  
 Trimmable Piston ø: 0.50 mm

CODE*	CODE**	L (mm)
SPL 03.16.400	SPL 03.16.400x	4.00
SPL 03.16.450	SPL 03.16.450x	4.50
SPL 03.16.500	SPL 03.16.500x	5.00
SPL 03.16.550	SPL 03.16.550x	5.50
SPL 03.16.600	SPL 03.16.600x	6.00
SPL 03.16.650	SPL 03.16.650x	6.50
SPL 03.16.700	SPL 03.16.700x	7.00

\* with notch \*\*without notch

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.17  
SPL 03.17x

Dimensions  
 Trimmable Piston ø: 0.60 mm

CODE*	CODE**	L (mm)
SPL 03.17.400	SPL 03.17.400x	4.00
SPL 03.17.450	SPL 03.17.450x	4.50
SPL 03.17.500	SPL 03.17.500x	5.00
SPL 03.17.550	SPL 03.17.550x	5.50
SPL 03.17.600	SPL 03.17.600x	6.00
SPL 03.17.650	SPL 03.17.650x	6.50
SPL 03.17.700	SPL 03.17.700x	7.00

\* with notch \*\*without notch

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.18  
SPL 03.18x

Dimensions  
 Trimmable Piston ø: 0.40 mm

CODE*	CODE**	L (mm)
SPL 03.18.400	SPL 03.18.400x	4.00
SPL 03.18.450	SPL 03.18.450x	4.50
SPL 03.18.500	SPL 03.18.500x	5.00
SPL 03.18.550	SPL 03.18.550x	5.50
SPL 03.18.600	SPL 03.18.600x	6.00
SPL 03.18.650	SPL 03.18.650x	6.50
SPL 03.18.700	SPL 03.18.700x	7.00


\* with notch \*\*without notch

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.19  
SPL 03.19x

Dimensions  
 Trimmable Piston ø: 0.80 mm

CODE*	CODE**	L (mm)
SPL 03.19.400	SPL 03.19.400x	4.00
SPL 03.19.450	SPL 03.19.450x	4.50
SPL 03.19.500	SPL 03.19.500x	5.00
SPL 03.19.550	SPL 03.19.550x	5.50
SPL 03.19.600	SPL 03.19.600x	6.00
SPL 03.19.650	SPL 03.19.650x	6.50
SPL 03.19.700	SPL 03.19.700x	7.00

\* with notch \*\*without notch

**SILICON LOOP****Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.24

Dimensions  
 Trimmable Piston ø: 0.40 mm

CODE	L (mm)
SPL 03.24	7.00 trimmable to 4.00

SILICON - loop  
 TI - joint  
 PTFE - columella

**SILICON LOOP****Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.25

Dimensions  
 Trimmable Piston ø: 0.50 mm

CODE	L (mm)
SPL 03.25	7.00 trimmable to 4.00

SILICON - loop  
 TI - joint  
 PTFE - columella

**SILICON LOOP****Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.26

Dimensions  
 Trimmable Piston ø: 0.60 mm

CODE	L (mm)
SPL 03.26	7.00 trimmable to 4.00

SILICON - loop  
 TI - joint  
 PTFE - columella




**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.48

Piston diameter - 0.40  
Ext. cup diameter - 1.10  
Int. cup diameter - 0.95


CODE	Total Length	Functional Length
SPL 03.48.400	4.00	3.20
SPL 03.48.425	4.25	3.45
SPL 03.48.450	4.50	3.70
SPL 03.48.75	4.75	3.95
SPL 03.48.500	5.00	4.20
SPL 03.48.525	5.25	4.45
SPL 03.48.550	5.50	4.70
SPL 03.48.575	5.75	4.95
SPL 03.48.600	6.00	5.20
SPL 03.48.625	6.25	5.45
SPL 03.48.650	6.50	5.70

**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.49

Piston diameter - 0.60  
Ext. cup diameter - 1.10  
Int. cup diameter - 0.95


CODE	Total Length	Functional Length
SPL 03.49.400	4.00	3.20
SPL 03.49.425	4.25	3.45
SPL 03.49.450	4.50	3.70
SPL 03.49.75	4.75	3.95
SPL 03.49.500	5.00	4.20
SPL 03.49.525	5.25	4.45
SPL 03.49.550	5.50	4.70
SPL 03.49.575	5.75	4.95
SPL 03.49.600	6.00	5.20
SPL 03.49.625	6.25	5.45
SPL 03.49.650	6.50	5.70

**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.50

Piston diameter - 0.80  
Ext. cup diameter - 1.10  
Int. cup diameter - 0.95


CODE	Total Length	Functional Length
SPL 03.50.400	4.00	3.20
SPL 03.50.425	4.25	3.45
SPL 03.50.450	4.50	3.70
SPL 03.50.75	4.75	3.95
SPL 03.50.500	5.00	4.20
SPL 03.50.525	5.25	4.45
SPL 03.50.550	5.50	4.70
SPL 03.50.575	5.75	4.95
SPL 03.50.600	6.00	5.20
SPL 03.50.625	6.25	5.45
SPL 03.50.650	6.50	5.70

**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.51

Piston diameter - 0.50  
Ext. cup diameter - 1.10  
Int. cup diameter - 0.95

CODE	Total Length	Functional Length
SPL 03.51.400	4.00	3.20
SPL 03.51.425	4.25	3.45
SPL 03.51.450	4.50	3.70
SPL 03.51.75	4.75	3.95
SPL 03.51.500	5.00	4.20
SPL 03.51.525	5.25	4.45
SPL 03.51.550	5.50	4.70
SPL 03.51.575	5.75	4.95
SPL 03.51.600	6.00	5.20
SPL 03.51.625	6.25	5.45
SPL 03.51.650	6.50	5.70

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.31

Dimensions  
Piston  $\varnothing$ : 0.40 mm


CODE	L (mm)
SPL 03.31.425	4.25
SPL 03.31.450	4.50
SPL 03.31.475	4.75
SPL 03.31.500	5.00
SPL 03.31.525	5.25
SPL 03.31.550	5.50
SPL 03.31.575	5.75
SPL 03.31.600	6.00
SPL 03.31.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.355

CODE	L (mm)
SPL 03.355	7.00 trimmable to 4.25


Dimensions  
Piston  $\varnothing$ : 0.40 mm

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.32

Dimensions  
Piston  $\varnothing$ : 0.50 mm

CODE	L (mm)
SPL 03.32.425	4.25
SPL 03.32.450	4.50
SPL 03.32.475	4.75
SPL 03.32.500	5.00
SPL 03.32.525	5.25
SPL 03.32.550	5.50
SPL 03.32.575	5.75
SPL 03.32.600	6.00
SPL 03.32.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.365

CODE	L (mm)
SPL 03.365	7.00 trimmable to 4.25

Dimensions  
Piston  $\varnothing$ : 0.50 mm

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.33

Dimensions  
Piston  $\varnothing$ : 0.60 mm

CODE	L (mm)
SPL 03.33.425	4.25
SPL 03.33.450	4.50
SPL 03.33.475	4.75
SPL 03.33.500	5.00
SPL 03.33.525	5.25
SPL 03.33.550	5.50
SPL 03.33.575	5.75
SPL 03.33.600	6.00
SPL 03.33.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.375

CODE	L (mm)
SPL 03.375	7.00 trimmable to 4.25

Dimensions  
Piston  $\varnothing$ : 0.60 mm

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.34

Dimensions  
Piston  $\varnothing$ : 0.80 mm

CODE	L (mm)
SPL 03.34.425	4.25
SPL 03.34.450	4.50
SPL 03.34.475	4.75
SPL 03.34.500	5.00
SPL 03.34.525	5.25
SPL 03.34.550	5.50
SPL 03.34.575	5.75
SPL 03.34.600	6.00
SPL 03.34.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.385

CODE	L (mm)
SPL 03.385	7.00 trimmable to 4.25

Dimensions  
Piston  $\varnothing$ : 0.80 mm



**PLATINUM - PTFE****PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.60 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.07.400	4.00	SPL 03.07.550	5.50
SPL 03.07.425	4.25	SPL 03.07.575	5.75
SPL 03.07.450	4.50	SPL 03.07.600	6.00
SPL 03.07.475	4.75	SPL 03.07.625	6.25
SPL 03.07.500	5.00	SPL 03.07.650	6.50
SPL 03.07.525	5.25	SPL 03.07.999	10.00

CODE SPL 03.07

**PLATINUM - PTFE****PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.07S

CODE	L (mm)
SPL 03.07S	7.00 trimmable to 4.25


Dimensions  
Piston ø: 0.60 mm

**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.40 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.08.400	4.00	SPL 03.08.550	5.50
SPL 03.08.425	4.25	SPL 03.08.575	5.75
SPL 03.08.450	4.50	SPL 03.08.600	6.00
SPL 03.08.475	4.75	SPL 03.08.625	6.25
SPL 03.08.500	5.00	SPL 03.08.650	6.50
SPL 03.08.525	5.25	SPL 03.08.999	10.00

CODE SPL 03.08

**PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.08S

CODE	L (mm)
SPL 03.08S	7.00 trimmable to 4.25

Dimensions  
Piston ø: 0.40 mm

**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.50 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.09.400	4.00	SPL 03.09.550	5.50
SPL 03.09.425	4.25	SPL 03.09.575	5.75
SPL 03.09.450	4.50	SPL 03.09.600	6.00
SPL 03.09.475	4.75	SPL 03.09.625	6.25
SPL 03.09.500	5.00	SPL 03.09.650	6.50
SPL 03.09.525	5.25	SPL 03.09.999	10.00

CODE SPL 03.09

**PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.09S

CODE	L (mm)
SPL 03.09S	7.00 trimmable to 4.25

Dimensions  
Piston ø: 0.50 mm

**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.80 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.10.400	4.00	SPL 03.10.550	5.50
SPL 03.10.425	4.25	SPL 03.10.575	5.75
SPL 03.10.450	4.50	SPL 03.10.600	6.00
SPL 03.10.475	4.75	SPL 03.10.625	6.25
SPL 03.10.500	5.00	SPL 03.10.650	6.50
SPL 03.10.525	5.25	SPL 03.10.999	10.00


CODE SPL 03.10

**PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.10S

CODE	L (mm)
SPL 03.10S	7.00 trimmable to 4.25

Dimensions  
Piston ø: 0.80 mm

**TITANIUM****TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.60 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.20.400	4.00	SPL 03.20.550	5.50
SPL 03.20.425	4.25	SPL 03.20.575	5.75
SPL 03.20.450	4.50	SPL 03.20.600	6.00
SPL 03.20.475	4.75	SPL 03.20.625	6.25
SPL 03.20.500	5.00	SPL 03.20.650	6.50
SPL 03.20.525	5.25	SPL 03.20.999	10.00

CODE SPL 03.20

**TITANIUM - PTFE****TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.27S

CODE	L (mm)
SPL 03.27S	7.00 trimmable to 4.25


Dimensions  
Piston ø: 0.40 mm

**TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.40 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.21.400	4.00	SPL 03.21.550	5.50
SPL 03.21.425	4.25	SPL 03.21.575	5.75
SPL 03.21.450	4.50	SPL 03.21.600	6.00
SPL 03.21.475	4.75	SPL 03.21.625	6.25
SPL 03.21.500	5.00	SPL 03.21.650	6.50
SPL 03.21.525	5.25	SPL 03.21.999	10.00

CODE SPL 03.21

**TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.28S

CODE	L (mm)
SPL 03.28S	7.00 trimmable to 4.25

Dimensions  
Piston ø: 0.50 mm

**TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.50 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.22.400	4.00	SPL 03.22.550	5.50
SPL 03.22.425	4.25	SPL 03.22.575	5.75
SPL 03.22.450	4.50	SPL 03.22.600	6.00
SPL 03.22.475	4.75	SPL 03.22.625	6.25
SPL 03.22.500	5.00	SPL 03.22.650	6.50
SPL 03.22.525	5.25	SPL 03.22.999	10.00

CODE SPL 03.22

**TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.29S

CODE	L (mm)
SPL 03.29S	7.00 trimmable to 4.25


Dimensions  
Piston ø: 0.60 mm

**TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions  
Piston ø: 0.80 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.23.400	4.00	SPL 03.23.550	5.50
SPL 03.23.425	4.25	SPL 03.23.575	5.75
SPL 03.23.450	4.50	SPL 03.23.600	6.00
SPL 03.23.475	4.75	SPL 03.23.625	6.25
SPL 03.23.500	5.00	SPL 03.23.650	6.50
SPL 03.23.525	5.25	SPL 03.23.999	10.00

CODE SPL 03.23

**TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.30S

CODE	L (mm)
SPL 03.30S	7.00 trimmable to 4.25

Dimensions  
Piston ø: 0.80 mm




**Superelastic NITINOL - PTFE**

**Self-Crimping Superelastic NITINOL/PTFE Piston**      **CODE SPL 03.43**      **NITINOL/PTFE Trimmable Prosthesis**      **CODE SPL 03.43S**

Dimensions  
Wire ø: 0.20 mm  
Columella ø: 0.40 mm


CODE	L (mm)	FL (mm)
SPL 03.43.400	4.00	3.00
SPL 03.43.425	4.25	3.25
SPL 03.43.450	4.50	3.50
SPL 03.43.475	4.75	3.75
SPL 03.43.500	5.00	4.00
SPL 03.43.525	5.25	4.25
SPL 03.43.550	5.50	4.50
SPL 03.43.575	5.75	4.75
SPL 03.43.600	6.00	5.00
SPL 03.43.625	6.25	5.25
SPL 03.43.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.43.700	7.00	6.00
SPL 03.43.750	7.50	6.50
SPL 03.43.800	8.00	7.00
SPL 03.43.850	8.50	7.50
SPL 03.43.900	9.00	8.00
SPL 03.43.950	9.50	8.50
SPL 03.43.999	9.99	8.99



CODE	L (mm)	FL (mm)
SPL 03.43S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions  
Wire ø: 0.20 mm  
PTFE Columella ø: 0.40 mm




**Self-Crimping Superelastic NITINOL/PTFE Piston**      **CODE SPL 03.44**      **NITINOL/PTFE Trimmable Prosthesis**      **CODE SPL 03.44S**

Dimensions  
Wire ø: 0.20 mm  
Columella ø: 0.50 mm


CODE	L (mm)	FL (mm)
SPL 03.44.400	4.00	3.00
SPL 03.44.425	4.25	3.25
SPL 03.44.450	4.50	3.50
SPL 03.44.475	4.75	3.75
SPL 03.44.500	5.00	4.00
SPL 03.44.525	5.25	4.25
SPL 03.44.550	5.50	4.50
SPL 03.44.575	5.75	4.75
SPL 03.44.600	6.00	5.00
SPL 03.44.625	6.25	5.25
SPL 03.44.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.44.700	7.00	6.00
SPL 03.44.750	7.50	6.50
SPL 03.44.800	8.00	7.00
SPL 03.44.850	8.50	7.50
SPL 03.44.900	9.00	8.00
SPL 03.44.950	9.50	8.50
SPL 03.44.999	9.99	8.99



CODE	L (mm)	FL (mm)
SPL 03.44S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions  
Wire ø: 0.20 mm  
PTFE Columella ø: 0.50 mm




**Self-Crimping Superelastic NITINOL/PTFE Piston**      **CODE SPL 03.45**      **NITINOL/PTFE Trimmable Prosthesis**      **CODE SPL 03.45S**

Dimensions  
Wire ø: 0.20 mm  
Columella ø: 0.60 mm


CODE	L (mm)	FL (mm)
SPL 03.45.400	4.00	3.00
SPL 03.45.425	4.25	3.25
SPL 03.45.450	4.50	3.50
SPL 03.45.475	4.75	3.75
SPL 03.45.500	5.00	4.00
SPL 03.45.525	5.25	4.25
SPL 03.45.550	5.50	4.50
SPL 03.45.575	5.75	4.75
SPL 03.45.600	6.00	5.00
SPL 03.45.625	6.25	5.25
SPL 03.45.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.45.700	7.00	6.00
SPL 03.45.750	7.50	6.50
SPL 03.45.800	8.00	7.00
SPL 03.45.850	8.50	7.50
SPL 03.45.900	9.00	8.00
SPL 03.45.950	9.50	8.50
SPL 03.45.999	9.99	8.99



CODE	L (mm)	FL (mm)
SPL 03.45S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions  
Wire ø: 0.20 mm  
PTFE Columella ø: 0.60 mm




**Self-Crimping Superelastic NITINOL/PTFE Piston**      **CODE SPL 03.46**      **NITINOL/PTFE Trimmable Prosthesis**      **CODE SPL 03.46S**

Dimensions  
Wire ø: 0.20 mm  
Columella ø: 0.80 mm


CODE	L (mm)	FL (mm)
SPL 03.46.400	4.00	3.00
SPL 03.46.425	4.25	3.25
SPL 03.46.450	4.50	3.50
SPL 03.46.475	4.75	3.75
SPL 03.46.500	5.00	4.00
SPL 03.46.525	5.25	4.25
SPL 03.46.550	5.50	4.50
SPL 03.46.575	5.75	4.75
SPL 03.46.600	6.00	5.00
SPL 03.46.625	6.25	5.25
SPL 03.46.650	6.50	5.50




CODE	L (mm)	FL (mm)
SPL 03.46.700	7.00	6.00
SPL 03.46.750	7.50	6.50
SPL 03.46.800	8.00	7.00
SPL 03.46.850	8.50	7.50
SPL 03.46.900	9.00	8.00
SPL 03.46.950	9.50	8.50
SPL 03.46.999	9.99	8.99



CODE	L (mm)	FL (mm)
SPL 03.46S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions  
Wire ø: 0.20 mm  
PTFE Columella ø: 0.80 mm



	<b>Standard NITINOL Hook:</b> 0.7 mm < Anvil < 0.9 mm		<b>Small NITINOL Hook:</b> Anvil < 0.7 mm add "P" to the number code for example: SPL 03.44.525P		<b>Large NITINOL Hook:</b> Anvil > 0.9 mm add "G" to the number code for example: SPL 03.44.525G
--	--	---	---	---	---

*Anvil Measurement Device: code SPL 03.56*

**TITANIUM - PTFE**

**TITANIUM/PTFE Adjustable Russo-Sanna Piston**      **CODE SPL 03.53S**      **TITANIUM/PTFE Adjustable Russo-Sanna Piston**      **CODE SPL 03.53LL**

Titanium adjustable wire ø: 0.15mm  
PTFE trimmable stem ø: 0.5 mm

CODE	L (mm)
SPL 03.53S	7.00 trimmable to 4.00



Titanium adjustable wire ø: 0.15mm  
PTFE trimmable stem ø: 0.5 mm

CODE	L (mm)
SPL 03.53LL	11.00 trimmable to 6.00




**AUDIO PE® Offset Partial Prosthesis**

CODE TPL 07.02

Columella outside Ø: 1.80  
Columella inside Ø: 1.20

CODE	L (mm)
TPL 07.02	5.00

**AUDIO PE® Offset Total Prosthesis**

CODE TPL 07.04

Columella distal end Ø: 0.65


CODE	L (mm)
TPL 07.04.600	6.00
TPL 07.04.700	7.00
TPL 07.04.800	8.00

**AUDIO PE® Total Prosthesis**

CODE TAL 07.09

Columella distal end Ø: 0.70


CODE	L (mm)
TAP 07.09.600	6.00
TAP 07.09.700	7.00
TAP 07.09.800	8.00

**AUDIO PE® Partial Prosthesis**

CODE PAP 07.10

Columella outside Ø: 2.10  
Columella inside Ø: 1.20


CODE	L (mm)
PAP 07.10	5.00

**AUDIO PE® Adjustable Offset Total Prosthesis\***

CODE TPL 07.03

\*PLATINUM core  
Columella distal end Ø: 0.70


CODE	L (mm)
TPL 07.03	8.00

**AUDIO-HA® Offset Total Prosthesis**

CODE TPL 07.05

Columella distal end Ø: 0.70


CODE	L (mm)
TPL 07.05.500	5.00
TPL 07.05.550	5.50
TPL 07.05.600	6.00
TPL 07.05.650	6.50
TPL 07.05.700	7.00
TPL 07.05.750	7.50
TPL 07.05.800	8.00

**AUDIO-HA® Offset Partial Prosthesis**

CODE TPL 07.06

Columella outside Ø: 2.00  
Hole Ø: 1.20

CODE	L (mm)
TPL 07.06.300	3.00
TPL 07.06.350	3.50
TPL 07.06.400	4.00
TPL 07.06.450	4.50
TPL 07.06.500	5.00
TPL 07.06.550	5.50

**AUDIO-HA® Total Prosthesis**

CODE TAP 07.11

Columella distal end Ø: 0.65

CODE	L (mm)
TAP 07.11.500	5.00
TAP 07.11.550	5.50
TAP 07.11.600	6.00
TAP 07.11.650	6.50
TAP 07.11.700	7.00
TAP 07.11.750	7.50
TAP 07.11.800	8.00

**AUDIO-HA® Partial Prosthesis**

CODE PAP 07.12

Columella outside Ø: 2.10  
Hole Ø: 1.20

CODE	L (mm)
PAP 07.12.300	3.00
PAP 07.12.350	3.50
PAP 07.12.400	4.00
PAP 07.12.450	4.50
PAP 07.12.500	5.00

**AUDIO-HA® 90° Oval Head Total Prosthesis**

CODE TAP 07.13

Columella distal end Ø: 0.75

CODE	L (mm)
TAP 07.13.500	5.00
TAP 07.13.550	5.50
TAP 07.13.600	6.00
TAP 07.13.650	6.50
TAP 07.13.700	7.00
TAP 07.13.750	7.50
TAP 07.13.800	8.00

**AUDIO-HA® 75° Oval Head Total Prosthesis**

CODE TAP 07.14

Columella distal end Ø: 0.70

CODE	L (mm)
TAP 07.14.500	5.00
TAP 07.14.550	5.50
TAP 07.14.600	6.00
TAP 07.14.650	6.50
TAP 07.14.700	7.00
TAP 07.14.750	7.50
TAP 07.14.800	8.00

**AUDIO-HA® 90° Oval Head Partial Prosthesis**

CODE PAP 07.15

Columella outside Ø: 2.00  
Columella inside Ø: 1.20


CODE	L (mm)
PAP 07.15.300	3.00
PAP 07.15.350	3.50
PAP 07.15.400	4.00
PAP 07.15.450	4.50
PAP 07.15.500	5.00

**AUDIO-HA® 75° Oval Head Partial Prosthesis**

CODE PAP 07.16

Columella outside Ø: 2.00  
Columella inside Ø: 1.20


CODE	L (mm)
PAP 07.16.300	3.00
PAP 07.16.350	3.50
PAP 07.16.400	4.00
PAP 07.16.450	4.50
PAP 07.16.500	5.00

**AUDIO-HA® Incus**

CODE INCUS 07.17


Columella outside Ø: 2.00  
Columella inside Ø: 1.20

CODE	L (mm)
INCUS 07.17.325	3.25
INCUS 07.17.375	3.75



**AUDIO-HA® Partial Incus** CODE INCUS 07.32


CODE	L (mm)	H (mm)
INCUS 07.32	2.50	1.60



**AUDIO-HA® Adjustable Total Prosthesis\*** CODE TPL 07.07

\*PLATINUM joint  
Columella distal end Ø: 0.65


CODE	L (mm)
TPL 07.07.550	5.50
TPL 07.07.600	6.00
TPL 07.07.650	6.50
TPL 07.07.700	7.00
TPL 07.07.750	7.50
TPL 07.07.800	8.00



**AUDIO-HA® Adjustable Partial Prosthesis\*** CODE TPL 07.08

\*PLATINUM joint  
Columella outside Ø: 2.00  
Columella inside Ø: 1.20


CODE	L (mm)
TPL 07.08.350	3.50
TPL 07.08.400	4.00
TPL 07.08.450	4.50
TPL 07.08.500	5.00
TPL 07.08.550	5.50
TPL 07.08.600	6.00



**Dense AUDIO-HA® Telescopic Total Prosthesis by Magnan-Babighian** CODE TAP 07.18

Piston Ø: 0.80


CODE	L (mm)
TAP 07.18.500	5.00
TAP 07.18.550	5.50
TAP 07.18.600	6.00
TAP 07.18.650	6.50
TAP 07.18.700	7.00
TAP 07.18.750	7.50
TAP 07.18.800	8.00



**Dense AUDIO-HA® Telescopic Partial Prosthesis by Magnan-Babighian** CODE PAP 07.19

Columella outside Ø: 2.10  
Columella inside Ø: 1.20


CODE	L (mm)
PAP 07.19.350	3.50
PAP 07.19.400	4.00
PAP 07.19.450	4.50
PAP 07.19.500	5.00
PAP 07.19.550	5.50
PAP 07.19.600	6.00



**Dense AUDIO-HA® and AUDIO-PE® Trimmable Total Prosthesis\*** CODE TAP 07.40

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.20  
PTFE Ø: 0.75


CODE	L (mm)
TAP 07.40	8.00



**Dense AUDIO-HA® and AUDIO-PE® Trimmable Partial Prosthesis\*** CODE PAP 07.41

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.25  
AUDIO-PE columella external Ø: 2.20  
AUDIO-PE columella inner Ø: 1.40

CODE	L (mm)
PAP 07.41	8.00



**Dense AUDIO-HA® Prosthesis "Marpla" by E. Garcia Ibañez** CODE TAP 07.54

Flange length: 4.00  
Columella width: 1.00 x 0.80


CODE	L (mm)
TAP 07.54	8.00



**Porous and dense AUDIO-HA® Adjustable Total Prosthesis\*** PATENTED CODE TAP 07.33

\*PLATINUM joint  
Lower end columella Ø: 0.65


CODE	L (mm)
TAP 07.33.550	5.50
TAP 07.33.600	6.00
TAP 07.33.650	6.50
TAP 07.33.700	7.00
TAP 07.33.750	7.50
TAP 07.33.800	8.00



**Porous and dense AUDIO-HA® Adjustable Partial Prosthesis\*** PATENTED CODE PAP 07.34

\*PLATINUM joint  
Columella outside Ø: 2.100  
Columella inside Ø: 1.40


CODE	L (mm)
PAP 07.34.400	4.00
PAP 07.34.450	4.50
PAP 07.34.500	5.00
PAP 07.34.550	5.50
PAP 07.34.600	6.00



**Porous AUDIO-HAP® and PTFE Trimmable Total Prosthesis\*** PATENTED CODE TAP 07.35

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.20  
PTFE Ø: 0.60


CODE	L (mm)
TAP 07.35	from 8.00 to 3.25



**Porous AUDIO-HAP® and PTFE Trimmable Total Prosthesis\*** PATENTED CODE PAP 07.36

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.25  
PTFE columella outside Ø: 2.10  
PTFE columella inner Ø: 1.40

CODE	L (mm)
PAP 07.36	from 6.50 to 3.00



**Porous AUDIO-HAP® and AUDIO-PE® Trimmable Total Prosthesis\*** PATENTED CODE TAP 07.37

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.20  
PE Ø: 0.60

CODE	L (mm)
TAP 07.37	from 8.00 to 3.25



**Porous AUDIO-HAP® and AUDIO-PE® Trimmable Total Prosthesis\*** PATENTED CODE PAP 07.38

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.25  
PE columella outside Ø: 2.10  
PE columella inner Ø: 1.40

CODE	L (mm)
PAP 07.38	from 6.50 to 3.00




**Dense AUDIO-HA® and AUDIO-PE®  
Trimmable Malleus-Footplate Prosthesis\***

CODE TAP 07.42

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.20  
AUDIO-PE Ø: 0.75

CODE	L (mm)
TAP 07.42	8.00




**Gold and PE Trimmable Partial Prosthesis\***

CODE PAP 07.47

\*Trimmable PE stem  
Flange Ø: 3.00  
Gold wire Ø: 0.30  
PE columella outside Ø: 1.80  
PE columella inner Ø: 1.20

CODE	L (mm)
PAP 07.47	trimmable from 6.50 to 2.75




**Dense AUDIO-HA® and AUDIO-PE®  
Trimmable Malleus-Stapes Prosthesis\***

CODE PAP 07.43

\*PLATINUM joint  
Flange Ø: 3.50  
Platinum wire Ø: 0.25  
AUDIO-PE columella external Ø: 2.20  
AUDIO-PE Columella inner Ø: 1.40

CODE	L (mm)
PAP 07.43	8.00



**Gold and PTFE Adjustable Total Prosthesis\***

CODE TAP 07.48

\*Extensible PTFE stem  
Flange Ø: 3.00  
Gold wire Ø: 0.30  
PTFE Ø: 0.80

CODE	L (mm)
TAP 07.48	from 4.00 to 9.00




**Dense AUDIO-HA® Posterior Canal Wall Prosthesis  
by Magnan**

CODE TPL 07.39

Outside radius: 10  
Inside radius: 6

CODE	B (mm)	A (mm)
TPL 07.39L (left)	22	20
TPL 07.39R (right)	22	20




**Gold and AUDIO-PE® Adjustable Partial Prosthesis\***

CODE PAP 07.49

\*Extensible PE stem  
Flange Ø: 3.00  
Gold wire Ø: 0.30  
Audio-PE columella outside Ø: 1.80  
Audio-PE columella inside Ø: 1.20


CODE	L (mm)
PAP 07.49	from 2.75 to 6.50



**Dense AUDIO-HA® Footplate Prosthesis**

CODE TPL 07.44

Footplate size: 1.25x1.00  
Inner ø: 0.85  
Added implant length: 0.50




**TITANIUM and PTFE Total Prosthesis for Ossiculoplasty\***

CODE TAP 07.52

\*Trimmable PTFE stem  
Titanium wire Ø: 0.23  
PTFE Ø: 0.60

CODE	L (mm)
TAP 07.52	trimmable from 6.25 to 4.50




**Dense AUDIO-HA®  
Open Tympanoplasty Partial Prosthesis**

CODE TPL 07.45

Total drilled flange ø: 4.00  
Inside ø: 1.40

CODE	L (mm)
TPL 07.45	3.50




**TITANIUM and PTFE Partial Prosthesis for Ossiculoplasty**

CODE PAP 07.53

Titanium wire Ø: 0.23

CODE	L (mm)
PAP 07.53	1.90



**Porous AUDIO-HAP®  
Open Tympanoplasty Partial Prosthesis**

CODE PAP 07.50

Flange ø: 4.00  
Columella external ø: 2.10  
Columella Inside ø: 1.20

CODE	L (mm)
PAP 07.50	4.00




**TITANIUM Adjustable Total Prosthesis\***

CODE TAP 07.55

\*Extensible stem  
Flange size: 3.80x3.00

CODE	L (mm)
TAP 07.55	from 5.00 to 8.50



**Gold and PTFE Trimmable Total Prosthesis\***

CODE TAP 07.46

\*Trimmable PTFE stem  
Flange Ø: 3.00  
Gold wire Ø: 0.30  
PTFE Ø: 0.80

CODE	L (mm)
TAP 07.46	trimmable from 8.00 to 4.50




**TITANIUM Incus Prosthesis**

CODE PAP 07.56

Columella outside ø: 2.00  
Columella inner ø: 1.20

CODE	L (mm)
PAP 07.56.300	3.00
PAP 07.56.400	4.00
PAP 07.56.500	5.00






**TITANIUM/HAP Adjustable Partial Prosthesis** **PATENTED** CODE PAP 07.72

Extensible stem  
Flange size: 3.50 x 2.50


CODE	L (mm)
PAP 07.72	from 2.00 to 5.00



**TITANIUM/HAP Adjustable Total Prosthesis** **PATENTED** CODE TAP 07.58

Extensible stem  
Flange size: 3.50 x 2.50  
Columella  $\varnothing$ : 0.60

CODE	L (mm)
TAP 07.58	from 4.00 to 8.00



**TITANIUM Total Prosthesis** CODE TAP 07.61

Columella  $\varnothing$ : 0.60


CODE	L (mm)	CODE	L (mm)
TAP 07.61.300	3.00	TAP 07.61.500	5.00
TAP 07.61.325	3.25	TAP 07.61.525	5.25
TAP 07.61.350	3.50	TAP 07.61.550	5.50
TAP 07.61.375	3.75	TAP 07.61.600	6.00
TAP 07.61.400	4.00	TAP 07.61.650	6.50
TAP 07.61.425	4.25	TAP 07.61.700	7.00
TAP 07.61.450	4.50	TAP 07.61.750	7.50
TAP 07.61.475	4.75	TAP 07.61.800	8.00



**TITANIUM/HAP Total Prosthesis** **PATENTED** CODE TAP 07.65

Columella  $\varnothing$ : 0.60


CODE	L (mm)	CODE	L (mm)
TAP 07.65.300	3.00	TAP 07.65.500	5.00
TAP 07.65.325	3.25	TAP 07.65.525	5.25
TAP 07.65.350	3.50	TAP 07.65.550	5.50
TAP 07.65.375	3.75	TAP 07.65.600	6.00
TAP 07.65.400	4.00	TAP 07.65.650	6.50
TAP 07.65.425	4.25	TAP 07.65.700	7.00
TAP 07.65.450	4.50	TAP 07.65.750	7.50
TAP 07.65.475	4.75	TAP 07.65.800	8.00



**TITANIUM Partial Prosthesis** CODE PAP 07.62

Columella outside  $\varnothing$ : 1.20  
Columella inside  $\varnothing$ : 1.10


CODE	L (mm)	CODE	L (mm)
PAP 07.62.050	0.50	PAP 07.62.250	2.50
PAP 07.62.075	0.75	PAP 07.62.275	2.75
PAP 07.62.100	1.00	PAP 07.62.300	3.00
PAP 07.62.125	1.25	PAP 07.62.325	3.25
PAP 07.62.150	1.50	PAP 07.62.350	3.50
PAP 07.62.175	1.75	PAP 07.62.400	4.00
PAP 07.62.200	2.00	PAP 07.62.450	4.50
PAP 07.62.225	2.25	PAP 07.62.500	5.00



**TITANIUM/HAP Partial Prosthesis** **PATENTED** CODE PAP 07.66

Columella outside  $\varnothing$ : 1.20  
Columella inside  $\varnothing$ : 1.10

CODE	L (mm)	CODE	L (mm)
PAP 07.66.100	1.00	PAP 07.66.275	2.75
PAP 07.66.125	1.25	PAP 07.66.300	3.00
PAP 07.66.150	1.50	PAP 07.66.325	3.25
PAP 07.66.175	1.75	PAP 07.66.350	3.50
PAP 07.66.200	2.00	PAP 07.66.400	4.00
PAP 07.66.225	2.25	PAP 07.66.450	4.50
PAP 07.66.250	2.50	PAP 07.66.500	5.00



**TITANIUM Adjustable Total Prosthesis** CODE TAP 07.63

Extensible stem  
Flange size: 3.50 x 2.50


CODE	L (mm)
TAP 07.63	from 3.00 to 8.00



**TITANIUM/HAP Adjustable Total Prosthesis** **PATENTED** CODE TAP 07.67

Extensible stem  
Flange size: 3.50 x 2.50


CODE	L (mm)
TAP 07.67	from 4.00 to 8.00



**TITANIUM Adjustable Partial Prosthesis** CODE PAP 07.64

Extensible stem  
Flange size: 3.50 x 2.50

CODE	L (mm)
PAP 07.64	from 1.50 to 5.50



**TITANIUM Adjustable Partial Prosthesis** **PATENTED** CODE PAP 07.68

Extensible stem  
Flange size: 3.50 x 2.50


CODE	L (mm)
PAP 07.68	from 2.25 to 5.00



**TITANIUM/ HAP Shock-absorbing Prosthesis** **PATENTED** CODE PAP 07.60

Columella outside  $\varnothing$ : 1.30  
Columella inside  $\varnothing$ : 1.10


CODE	L (mm)
PAP 07.60.250	2.50
PAP 07.60.300	3.00
PAP 07.60.350	3.50
PAP 07.60.400	4.00
PAP 07.60.450	4.50
PAP 07.60.500	5.00



**TITANIUM/ HAP Shock-absorbing Prosthesis** **PATENTED** CODE TAP 07.71

Columella PTFE  $\varnothing$ : 0.60


CODE	L (mm)
TAP 07.71	trimmable from 8.00 to 4.00



**Bojrab TITANIUM Universal Prosthesis** CODE TPL 07.77

Trimmable stem  
Flange size: 2.50 x 5.35


CODE	L (mm)
TPL 07.77	trimmable from 8.00 to 2.00




**TITANIUM/HAP/PTFE Universal Prosthesis** **PATENTED** CODE TPL 07.59

Partial: columella outside  $\varnothing$ : 1.20  
columella inner  $\varnothing$ : 1.10  
Total: columella  $\varnothing$ : 0.60

CODE	L (mm)
TPL 07.59	shortable from 3.50 to 7.50





CODE	Diam. (mm)
TPL 07.73	0.40
TPL 07.74	0.50
TPL 07.75	0.60
TPL 07.76	0.80

shoe size: 0.7x1.1  
nails: 0.09


**TITANIUM Ninja Total Prosthesis**

**CODE TAP 07.61 SH**

Shoe size: 0.7x1.1

PATENT PENDING

CODE	L (mm)	CODE	L (mm)
TAP 07.61.300SH	3.00	TAP 07.61.500SH	5.00
TAP 07.61.325SH	3.25	TAP 07.61.525SH	5.25
TAP 07.61.350SH	3.50	TAP 07.61.550SH	5.50
TAP 07.61.375SH	3.75	TAP 07.61.600SH	6.00
TAP 07.61.400SH	4.00	TAP 07.61.650SH	6.50
TAP 07.61.425SH	4.25	TAP 07.61.700SH	7.00
TAP 07.61.450SH	4.50	TAP 07.61.750SH	7.50
TAP 07.61.475SH	4.75	TAP 07.61.800SH	8.00




**TITANIUM/HAP Ninja Total Prosthesis**

**CODE TAP 07.65SH**

Shoe size: 0.7x1.1

PATENT PENDING

CODE	L (mm)	CODE	L (mm)
TAP 07.65.300SH	3.00	TAP 07.65.500SH	5.00
TAP 07.65.325SH	3.25	TAP 07.65.525SH	5.25
TAP 07.65.350SH	3.50	TAP 07.65.550SH	5.50
TAP 07.65.375SH	3.75	TAP 07.65.600SH	6.00
TAP 07.65.400SH	4.00	TAP 07.65.650SH	6.50
TAP 07.65.425SH	4.25	TAP 07.65.700SH	7.00
TAP 07.65.450SH	4.50	TAP 07.65.750SH	7.50
TAP 07.65.475SH	4.75	TAP 07.65.800SH	8.00




**TITANIUM Ninja Adjustable Total Prosthesis**

**CODE TAP 07.63 SH**

Extensible stem  
Shoe size: 0.7x1.1

PATENT PENDING

CODE	L (mm)
TAP 07.63SH	from 3.00 to 9.00




**TITANIUM/HAP Ninja Adjustable total Prosthesis**

**CODE TAP 07.67SH**

Extensible stem  
Shoe size: 0.7x1.1

PATENT PENDING

CODE	L (mm)
TAP 07.67SH	from 3.00 to 9.00







**PRIM**

PRIM S. A.

C/ F, nº 15. Pol. Industrial nº 1  
28938 – Móstoles (Madrid)

Tlf. 91 334 24 41 - [orl@prim.es](mailto:orl@prim.es)



 audio<sup>®</sup>  
TECHNOLOGIES

**Audio Technologies S.r.l**

Gossolengo - Piacenza (ITALY) - Tel. +39.0523.778864 - Fax. +39.0523.770019 - [info@audiotechnologies.it](mailto:info@audiotechnologies.it) - [www.audiotechnologies.it](http://www.audiotechnologies.it)

CAT400 rev.00 – Oct. 2015